

# Kadaltilla

Adelaide Park Lands Authority



## SPECIAL BOARD MEETING MINUTES

Thursday, 6 June 2024

Colonel Light Room, Adelaide Town Hall

## Kadaltilla / Adelaide Park Lands Authority

Special Board Meeting Minutes, Thursday, 6 June 2024, at 5.00 pm

Colonel Light Room, Adelaide Town Hall

Present:

**Presiding Member**

The Right Honourable the Lord Mayor, Dr Jane Lomax-Smith

**Board Members**

Allison Bretones

Ashley Halliday

Justyna Jochym

Craig Wilkins

Ben Willsmore

Professor Emeritus Damien Mugavin (proxy for Stephanie Johnston)

Councillor Henry Davis (proxy for Deputy Lord Mayor, Councillor Keiran Snape)

### 1 Welcome and Opening

#### 1.1 Acknowledgement of Country

#### 1.2 Apologies

Deputy Presiding Member - Elinor Walker

Board Member - Stephanie Johnston

Mitzi Nam

Deputy Lord Mayor, Councillor Keiran Snape

### 2 Conflict of Interest

Nil

### 3 Items for Board Discussion

#### 3.1 Workshop - Bringing Back Platypus

Chris Daniels, Chair Green Adelaide, addressed Kadaltilla Members.

Discussion ensued during which:

- Chris Daniels responded to questions
- Craig Wilkins left the meeting at 5.49 pm

The PowerPoint presentation is attached for reference at the conclusion of the Minutes of this meeting.

### Closure

The meeting closed at 5.57 pm

The Lord Mayor, Dr Jane Lomax-Smith

Presiding Member

Kadaltilla / Adelaide Park Lands Authority

Documents Attached:

Item 3.1 - Workshop – Bringing Back Platypus – PowerPoint presentation


# Returning Platypus to the Torrens: Turning a Dream into Reality

Chris Daniels  
Chair Green Adelaide

Presentation to  
**Kadaltilla**  
Adelaide Park Lands Authority



Minute Item 3.1



- Green Adelaide
- Local government areas
- Hills face zone
- National parks and reserves
- Tree cover and recreation areas
- Built-up areas
- Marine park and dolphin sanctuary
- Seagrass and reef habitat
- Deep water habitat

**Local government areas**

1 Adelaide	4 Charles Sturt	7 Mitcham	10 Playford	13 Salisbury	16 Walkerville
2 Burnside	5 Holdfast Bay	8 Norwood Payneham and St Peters	11 Port Adelaide Enfield	14 Tea Tree Gully	17 West Torrens
3 Campbelltown	6 Marion	9 Onkaparinga	12 Prospect	15 Unley	





Coastal management



Water resources and wetlands



Biodiversity sensitive and water sensitive urban



Fauna, flora and ecosystem health in the urban environment



Green streets and flourishing parklands



Nature education



Controlling pest plants and animals



***“A cooler, greener, wilder and climate resilient Adelaide that celebrates our unique culture”***

Kardalta Tarntanya



Illustration by Allan Sumner

# Platypus





Photo credit:



*Thomas et al 2018*



- Semi-aquatic Monotreme
- Veg nest
- Undercut, concealed
- Forage in water
  
- 1-3 eggs and Altricial Puggles
- Incubated in nesting burrow
- Young Emerge in summer





Credit: Hobart Rivulet Platypus


# A Brief (Un)Natural History of the River Torrens



Page 8









First to Fifth Creeks, with First being the closest to Adelaide's city-centre and the rest numbered consecutively eastward, were originally named **Greenhill, Hallett, Todd, Anstey and Ormsley rivulets respectively**. They flow vigorously in winter and spring but are otherwise dry, except for small flows in limited areas upstream.

Moriatta" a [Kaurna](#) word meaning "ever flowing" is now the official name of Fourth Creek.



# Geography, Climate, Rainfall and Resultant Ecosystems



Page 10




# Geography, Climate, Rainfall and Resultant Ecosystems




Month      Median rainfall (mm)

January	21.7
February	10.4
March	20.2
April	32.6
May	56.6
June	82.2
July	68.8
August	69.2
September	58.0
October	43.0
November	30.8
December	23.8
<b>Annual</b>	<b>560.8</b>



Page 11



Annual Rainfall for Region 138.5:139.5E, 34.5:35.5S




# Geography, Climate, Rainfall and Resultant Ecosystems





Month	Median rainfall (mm)
January	21.7
February	10.4
March	20.2
April	32.6
May	56.6
June	82.2
July	68.8
August	69.2
September	58.0
October	43.0
November	30.8
December	23.8
Annual	560.8

PLANT ASSOCIATIONS OF THE ADELAIDE PLAINS




Page 12



# The growth of **Adelaide's** suburbs

- Over 80% of South Australia's population
- Adelaide now houses almost 1.5 million people



# The Torrens River in 1840



THE CITY OF ADELAIDE, VIEW FROM TORRENS RIVER THE REED BEDS.

# Changes at Settlement



# Karrawirra Parri/River Torrens, ca. 1880




SOUTH AUSTRALIAN COMPANY'S MILL ON THE TORRENS.  
FROM A SKETCH BY F. H. DODD, 1848.





# Reconstructing the River

- Thorndon Park
- 1859
- Hope Valley
- 1872,
- 28,400 MegaL
- Millbrook
- 1918 ,
- 16,500 MegaL
  
- Kangaroo Creek Reservoir
- 1969, 24,400 MegaL



# Torrens Weir, Lake and Torrens Bridges





Figure 6: Torrens Lake and City of Adelaide bridges



# Managing Flooding--Breakout Creek

- *Metropolitan Drainage Act, 1933* -- an outlet for the river be created covering a 1 in 60 year flood.
- 1935 - 1938, the construction of a new, concrete lined channel (called *Breakout Creek*)
- 3.5 km through the Reedbeds and coastal dunes to the sea.



# Draining the reedbeds from 1930's



# Turning Creeks into Drains



1. ALGAE AND DUCK WEED
2. HEAVY METALS
3. E. COLI AND DISEASE ORGANISMS
4. HUMAN AND VEGETATIVE POLLUTION

**Algal bloom prompts Torrens closure**  
 Posted January 20, 2012 13:54:56

The River Torrens has been closed to some river users from Hackney Road to the Adelaide weir because of an increase in blue-green algae.

The water is now off limits to rowers and paddleboats but Popeye cruises and the Adelaide Gondola will continue to operate.

The Adelaide City Council made the decision and says the increase in algae has been caused by hot and dry weather.

Water quality tests will be carried out on Monday, with results to be known by Wednesday.

SA Health says toxins released by blue-green algae can cause skin irritations, gastroenteritis and damage to the liver and nervous system.

The Torrens Lake is routinely closed because of algal blooms.



PHOTO: Signs warning people not to touch the water will be put up along the bank (Emma Rodgers/ABC)  
 MAP: Adelaide 5000





# Degraded banks poisoned water introduction of feral plants and animals led to the loss of Aboriginal people and biodiversity

...anything in the guise of a river more ugly than the Torrens would be impossible to either see or describe... —

Anthony Trollope prior to 1880





# Torrens Linear Park 1979 -1997

unique and remarkable in many ways

reduces potential major flood problems,


30 km of the River Torrens from the Adelaide Hills to the coast involves innovative low cost flood mitigation measures

a major conservation and recreation project

restores the existing man-modified river to what will appear to be a natural water-way;



Page 25



# Why revegetate the Linear Park?

**Amenity**

**Ecosystem Services**



# The River as a Living Catchment --- Types of ecological restoration

## ECOLOGICAL RESTORATION OPTIONS

(returning a landscape, in some measure, to a pre-existing ecological state)

REHABILITATION (help for recovery)		RECONSTRUCTION (making anew)	
Repair	Reintroduction	Replication	Replacement
Repairing damage to an existing native landscape (mainly by removal of damaging intrusions and impacts)	Reintroducing original elements of an existing native or relict landscape	Replicating the form and function of a pre-existing native landscape using indigenous materials	Replacing some elements of the form and function of a pre-existing native landscape using indigenous or introduced materials

### Level of Ecological Integrity Before Restoration

High

Low

### Level of Ecological Artificiality after Restoration

Low

High

# Focussed regenerated sites

St Peters Billabong, Tullya Wodli, Adelaide Zoo Precinct, Botanic Gardens, Breakout Creek 1-3

## Tullya Wodli

late 1800's

2015

Page 28



# Breakout Creek Stage 1 Revegetation



- TOP – Breakout Creek immediately before construction commenced in Feb 2009
- BOTTOM – Breakout Creek Jan 2011



# Breakout Creek Stage 2

From To



# Breakout Creek (Purruna Pari) Stage 3

From


To



# Managing Cyanobacteria – No blooms since 2012

*Example of cyanobacteria concentration data used as part of the dilution flow decision making process*

*Monthly flow data at Gorge Weir  
dilution flow is usually 130 ML per day over three days*





# Environmental Flows Trial for the River Torrens




The environmental flows will be delivered in four basic phases that mimic natural seasonal flows

**No flow** A dry phase where the river separates into a series of pools. Periods of no flow are important in recycling of nutrients and creating food sources for aquatic animals. They also give native fish an advantage over introduced fish species.



**Low flow** These minimum flows are experienced over low rainfall months and are vital to maintaining the right water temperature and quality in pools, which provide an essential refuge for fish and other water-dependent life in dryer seasons.



**Fresh flow** These flows provide higher volumes of water and create more habitat for fish and allow them to travel between pools. The flows are essential to maintaining viable and widely distributed populations of fish.




**Flush flow** These high-volume, high-velocity flows scour sediment and vegetation that build up during lower flows. Over time sediment fills spaces between rocks, significantly reducing habitat for bugs, fish and other aquatic animals such as yabbies. Flush flows also allow fish to migrate both up and downstream and can provide important passage to the sea during breeding events.




# Collection of pollutants using booms, GPTs and sediment traps

95% of gross pollutants are organic (leaves etc)




Page 34

### Green Adelaide gross pollutant traps and fishways in the River Torrens catchment



**Legend**

GPTs and Fishways	Green Adelaide	National parks and reserves
CDS	Freeways and highways	Watercourses and water bodies
Fish Ladder	Main roads	Other reserves and vegetation
Trash Rack	Watercourses	Built-up areas
Floating Boom	River Torrens catchment	



Produced by: Green Adelaide  
 Data sources: South Australian Government  
 Compiled: 19 June 2023  
 Coordinate system: GDA 1994 MGA Zone 54  
 Projection: Transverse Mercator  
 Datum: GDA 1994

Copyright © Department for Environment and Water 2023.  
 All Rights Reserved. All areas and information displayed are subject to Copyright. For the reproduction or publication beyond that permitted by the Copyright Act 1968 (Cwth) written permission must be sought from the Department.  
 Although every effort has been made to ensure the accuracy of the information displayed, the Department, its agents, officers and employees make no representations, either express or implied, that the information displayed is accurate or fit for any purpose and expressly disclaims all liability for loss or damage arising from reliance upon the information displayed.



6<sup>TH</sup> CREEK  
CATCHMENT GROUP


# Drone Footage




- **The last 20 years have seen a massive improvement in an extra-ordinarily difficult ecosystem to manage, made worse by 150 years of piecemeal and destructive human actions**
- What do we want from the River Torrens in 2024?
- **NOT A return to its “Natural” (pre 1836) condition**
- **BUT** A River with
  - 1: High provision of Ecosystem services to the region(s)
  - 2: High Amenity Value for the community
  - 3: A reliable water source for the community(ies)
  - 4: A Biodiversity hotspot and green-link between ecosystems
  - 5: A quality estuary and limited impact on Marine Ecosystems

# Why platypus?

## An Apex Animal in a riparian system



# AND.... to Deal with The Big Issue: Community engagement and recognition



# Platypus Requirements

- Food
  - Macroinvertebrates
- Water
  - Flows
- Habitat
  - Predators
  - Safety from Predators
  - Locations for Burrows
  - Locations requiring ongoing work



Australian Platypus Conservancy





# Water Flow

- Low flow and cease to flow periods
- Development of hydraulic model
- Simulation analysis flow-habitat
- Partner with SA Water



Page 41



# Platypus safety and burrows

- Analysis of potential predators
- –foxes, cats, dogs, Water rats
- Amount of 'loop' litter
- Barrier considerations, ie weir walls
- Vegetation priorities
- Weeding priorities (e.g. bullrushes)
- Creation of Safe Havens




# Habitat

The river was divided into eight sections that reflecting geomorphic, hydrologic and management differences

Parameters recorded along 8 stretches of the River Torrens catchment included:

stream type (pool/riffle),  
bank vegetation,  
bank stability,  
predator accessibility,  
bank height,  
bank tree root visibility,  
submerged habitat,  
instream habitat,  
water depth,  
water temperature,  
pH, dissolved oxygen, and electrical conductivity.





# Opera house *round up*




*When:* October 8  
10am - 4pm

*Where:* Happy Valley Reservoir

*What:* Exchange your opera house net for a pyramid net to help species like the platypus.

RECFISH SA  
GREEN  
ADELAIDE

# Creating a Plan for Reintroduction 2024-2026

- Translocation proposal
  - The species • Translocation type • Why it's necessary • Objectives • Risk Management • Key people, their roles and responsibilities • Where • Methods • Timeline
  - Risk management and quality control step • Ensure project is scientifically sound, and technically feasible

- Source Animals (Genetics)
- Permits, Ethics and Endorsements
- Collect Animals
- Select Locations and Timing for Release
- Staff Training
- Create Citizen Science Groups
- Monitoring Platypus Health and Wellbeing
- Engaging Kurna and other Aboriginal Groups
- Creating Safe Havens
- Obtain Corporate and Private Funding
- River Governance and Org/Govt Collaborations
- Communications and Engagement
- Disaster management




# Questions?



# Platypus



- Monotreme
- 1-3 eggs
- Incubated in nesting burrow
- Altricial
- Emerge in summer





**...anything in the guise of a river more ugly than the Torrens would be impossible to either see or describe... —Anthony Trollope prior to 1880**



# Changes at Settlement : Destruction of the Torrens

*Deforestation, silting up of wetlands, a "sewer" dumping ground, water carting excavation, a public bath*

Page 50





# Where to next ?




Page 52



- 1) Improving Biodiversity esp. native fish, birds mammals and invertebrates
- 2) Improved “whole of Catchment” vision esp via partnerships
- 3) Peroxide trials
- 4) Electro fishing for carp
- 5) Continued work on Urban runoff via WSUD & other onsite practices
- 6) Protect the Gulf from Run-off
- 7) Community engagement and recognition**

# eDNA to Track Platypus, and determine whether there are any out there already





## [AN SA News and Photos](#)

**Duckweed turns section of River Torrens into a sea of green during Adelaide's peak festival season**

**by: *CITY EDITOR ANTHONY TEMPLETON***

**From: *The Advertiser* February 18, 2015 2:27PM**





Expectations....



Reality....

